




# FP4 B

Economic stainless steel submersible borehole pump



## Dimensions, Weights and Electrical Data

### 1Ph- 220-230V


Type	kW	Length (mm)			Weight (kg)		
		P.L.	M.L.	T.L.	Pump	Motor	Total
FP4B05	0.37	261	236	497	2.7	6.7	9.4
FP4B07	0.55	341	266	607	3.5	8.0	11.5
FP4B10	0.75	421	286	707	4.3	9.0	13.3
FP4B15	1.1	561	331	892	5.6	11.0	16.6
FP4B20	1.5	701	393	1094	7.0	13.0	20.0
FP4B30	2.2	960	413	1373	9.6	13.8	23.4
FP4B40	3.7	1240	684	1924	12.3	26.5	38.8

Based on using Elsumo motors

### 3Ph- 380-400V


Type	kW	Length (mm)			Weight (kg)		
		P.L.	M.L.	T.L.	Pump	Motor	Total
FP4B05	0.37	261	216	477	2.7	6.0	8.7
FP4B07	0.55	341	236	577	3.5	6.7	10.2
FP4B10	0.75	421	266	687	4.3	8.0	12.3
FP4B15	1.1	561	286	847	5.6	9.0	14.6
FP4B20	1.5	701	348	1049	7.0	11.0	18.0
FP4B30	2.2	960	393	1353	9.6	13.0	22.6
FP4B40	3	1240	544	1784	12.3	19.7	32.0

Based on using Elsumo motors



# FP4 D

Economic stainless steel submersible borehole pump



## Dimensions, Weights and Electrical Data

### 1Ph- 220-230V


Type	kW	Length (mm)			Weight (kg)		
		P.L.	M.L.	T.L.	Pump	Motor	Total
FP4D05	0.37	230	236	466	2.3	6.7	9.0
FP4D07	0.55	270	266	536	2.7	8.0	10.7
FP4D10	0.75	330	286	616	3.3	9.0	12.3
FP4D15	1.1	430	331	761	4.2	11.0	15.2
FP4D20	1.5	530	393	923	5.2	13.0	18.2
FP4D30	2.2	710	413	1123	7.0	13.8	20.8
FP4D40	3	929	684	1613	9.1	26.5	35.6

Based on using Elsumo motors

### 3Ph- 380-400V


Type	kW	Length (mm)			Weight (kg)		
		P.L.	M.L.	T.L.	Pump	Motor	Total
FP4D05	0.37	230	216	446	2.3	6.0	8.3
FP4D07	0.55	270	236	506	2.7	6.7	9.4
FP4D10	0.75	330	266	596	3.3	8.0	11.3
FP4D15	1.1	430	286	716	4.2	9.0	13.2
FP4D20	1.5	530	348	878	5.2	11.0	16.2
FP4D30	2.2	710	393	1103	7.0	13.0	20.0
FP4D40	3	929	544	1473	9.1	19.7	28.8
FP4D55	4	1169	614	1783	11.4	23.0	34.4

Based on using Elsumo motors



# FP4 E

Economic stainless steel submersible borehole pump



## Dimensions, Weights and Electrical Data

### 1Ph- 220-230V


Type	kW	Length (mm)			Weight (kg)		
		P.L.	M.L.	T.L.	Pump	Motor	Total
FP4E05	0.37	210	236	446	2.0	6.7	8.7
FP4E07	0.55	250	266	516	2.3	8.0	10.3
FP4E10	0.75	290	286	576	2.7	9.0	11.7
FP4E15	1.1	370	331	701	3.5	11.0	14.5
FP4E20	1.5	450	393	843	4.3	13.0	17.3
FP4E30	2.2	610	413	1023	5.8	13.8	19.6
FP4E40	3.7	750	684	1434	7.4	26.5	33.9

Based on using Elsumo motors

### 3Ph- 380-400V


Type	kW	Length (mm)			Weight (kg)		
		P.L.	M.L.	T.L.	Pump	Motor	Total
FP4E05	0.37	210	216	426	2.0	6.0	8.0
FP4E07	0.55	250	236	486	2.3	6.7	9.0
FP4E10	0.75	290	266	556	2.7	8.0	10.7
FP4E15	1.1	370	286	656	3.5	9.0	12.5
FP4E20	1.5	450	348	798	4.3	11.0	15.3
FP4E30	2.2	610	393	1003	5.8	13.0	18.8
FP4E40	3	750	544	1294	7.4	19.7	27.1
FP4E55	4	1009	614	1623	9.7	23.0	32.7

Based on using Elsumo motors



# FP4 F

Economic stainless steel submersible borehole pump



## Dimensions, Weights and Electrical Data

### 1Ph- 220-230V


Type	kW	Length (mm)			Weight (kg)		
		P.L.	M.L.	T.L.	Pump	Motor	Total
FP4F10	0.75	323	286	609	3.2	9.0	12.2
FP4F15	1.1	438	331	769	4.2	11.0	15.2
FP4F20	1.5	554	393	947	5.2	13.0	18.2
FP4F30	2.2	746	413	1159	6.8	13.8	20.6
FP4F40	3	976	684	1660	8.8	26.5	35.3

Based on using Elsumo motors

### 3Ph- 380-400V


Type	kW	Length (mm)			Weight (kg)		
		P.L.	M.L.	T.L.	Pump	Motor	Total
FP4F10	0.75	323	266	589	3.2	8.0	11.2
FP4F15	1.1	438	286	724	4.2	9.0	13.2
FP4F20	1.5	554	348	902	5.2	11.0	16.2
FP4F30	2.2	746	393	1139	6.8	13.0	19.8
FP4F40	3	976	544	1520	8.8	19.7	28.5
FP4F55	4	1284	614	1898	11.4	23.0	34.4
FP4F75	5.5	1669	684	2353	14.7	26.6	41.3
FP4F100	7.5	2054	764	2818	18.0	30.6	48.6

Based on using Elsumo motors



# FP4 H

Economic stainless steel submersible borehole pump



## Dimensions, Weights and Electrical Data

### 1Ph- 220-230V


Type	kW	Length (mm)			Weight (kg)		
		P.L.	M.L.	T.L.	Pump	Motor	Total
FP4H15	1.1	341	331	672	3.2	11.0	14.2
FP4H20	1.5	418	393	811	3.8	13.0	16.8
FP4H30	2.2	533	413	946	4.8	13.8	18.6
FP4H40	3	688	684	1372	6.1	26.5	32.6

Based on using Elsumo motors

### 3Ph- 380-400V


Type	kW	Length (mm)			Weight (kg)		
		P.L.	M.L.	T.L.	Pump	Motor	Total
FP4H15	1.1	341	286	627	3.2	9.0	12.2
FP4H20	1.5	418	348	766	3.8	11.0	14.8
FP4H30	2.2	533	393	926	4.8	13.0	17.8
FP4H40	3	688	544	1232	6.1	19.7	25.8
FP4H55	4	879	614	1493	7.7	23.0	30.7
FP4H75	5.5	1187	684	1871	10.3	26.6	36.9
FP4H100	7.5	1533	764	2297	13.2	30.6	43.8

Based on using Elsumo motors



# FP4 L

Economic stainless steel submersible borehole pump



## Dimensions, Weights and Electrical Data

### 1Ph- 220-230V


Type	kW	Length (mm)			Weight (kg)		
		P.L.	M.L.	T.L.	Pump	Motor	Total
FP4L20	1.5	363	393	756	3.3	13.0	16.3
FP4L30	2.2	492	413	905	4.4	13.8	18.2
FP4L40	3	620	684	1304	5.5	26.5	32.0


Based on using Elsumo motors

### 3Ph- 380-400V

Type	kW	Length (mm)			Weight (kg)		
		P.L.	M.L.	T.L.	Pump	Motor	Total
FP4L20	1.5	363	348	717	3.3	11.0	14.3
FP4L30	2.2	492	393	885	4.4	13.0	17.4
FP4L40	3	620	544	1164	5.5	19.7	25.2
FP4L55	4	792	614	1406	6.9	23.0	29.9
FP4L75	5.5	1005	684	1689	8.7	26.6	35.3
FP4L100	7.5	1306	764	2070	11.2	30.6	41.8

Based on using Elsumo motors





1. Discharge casing	6. Diffuser
2. Non-return valve	7. Friction plate
3. Circlip	8. Strainer
4. Bearing	9. Coupling
5. Impeller	10. Bottom Bracket